

SEQUENCE LISTING

<110> Van Urk, Hendrik							
<120> Process for the Purification of Recombinant Albumin							
<130> CE0253 US							
<140> 09/890,297 <141> 2002-01-04							
<150> PCT/GB00/00257 <151> 2000-01-31							
<160> 16							
<170> PatentIn version 3.2							
<210> 1 <211> 423 <212> DNA <213> Artificial	423 DNA						
<220> <223> homologous to sequence encoding Saccharomyces cerevisiae PMT1 gene	· · · · · · · · · · · · · · · · · · ·						
<400> 1 gattggcaga agaggtatct gcttatggac atgaggggct ttggcggtga tgccaatgat 60	60						
gactttgttg tggagattgc caaggatctt tcaactactg aagaagctaa ggaaaacgtt 120	.20						
agggccattc aaactgtttt tagattgaga catgcgatga ctggttgtta cttgttctcc 180	.80						
cacgaagtca agcttcccaa gtgggcatat gagcaacaag aggttacttg tgctactcaa 24							
ggtatcaaac cctatcttac tggtacgttg agaccaacga aaacccattc ttggataaag 300	00						
aggttgatga aatagttagc tatcctgttc cgactttctt tcaaaggttg ccgactcacg 360	60						
ccagaatgtg gaagatcaac aaggcttact gatcatatgc tatgaatcca gtccagatct 42							
tgg 423	23						
<210> 2 <211> 454 <212> DNA <213> Artificial							
<220> <223> homologous to sequence encoding Saccharomyces cerevisiae PMT1 gene							
<400> 2 gtgttgcagt tgtagtccca cttgagtatc ttggattcgt tgcattggtc cttggtccat 60	60						
	.20						
	.80						

ctcaaa	caca	tgtccgagag	ccaatatacc	aaagtacaat	gatggtagat	agtggtgcaa	240
aaatag	ctga	cgggccataa	gggaaagatg	gcaagtaatg	cagtacccat	cctaggatgt	300
aatgaag	gcat	ttgaacattg	aagttgagca	cagttgggtc	aacgctgaac	ccaaaacctc	360
tttgcctctc		agaatagaga	aaccaaaaag	acagagaaca	aagcatactt	gcggtgactg	420
tcaccaagtg		acagcattcc	tatgaaataa	attg			454
<210> <211> <212> <213>	3 408 DNA Arti	ificial					
<220> <223>	homo gene	-	sequence end	coding Sacch	naromyces ce	erevisiae PMT7	
<400> tacgtta	3 atgg	atgtgcatcc	acttcctgaa	gcttctcatc	ggcaaccttt	tgaatctgca	60
atttat	tatc	ttcattgaag	gcaagcttga	acactttgac	ggtagaaaga	cgagcgacaa	120
ccaagaa	attg	cccgtcagaa	gtgagatcac	aatgggtgat	gttgtcctca	tcgcttagga	180
ccagtt	tggc	taatagtttt	ctgccttgct	gaggaaggac	tttccatact	ttaatggttt	240
ggtctt	gccc	atgatcacca	gcttctggga	tttattgaaa	aggacagttt	gatcgtttca	300
gggaata	actg	acagtctttg	aatttcgcag	tcttgaaacg	attcagctta	gaaacggcta	360
tgtctga	acaa	tgatgcttca	gatagtacag	atcgaggtcc	tggattgg		408
<210> <211> <212> <213>	4 350 DNA Arti	ificial					
<220> <223>							
<400>	4 ntga	cttcttacta	gaaaatgtgc	tacaannann	taaanaccot	atcattaaaa	60
			gacgattacc				120
			attgctaccg				180
			agcatcaaca				240
			attgacataa				300
			tggccgataa			gtataagaaa	350
	9	gargererga	-999	994-4-9944			
<210> <211> <212> <213>	5 391 DNA Arti	ificial					
<220> <223>	homo gene	ologous to s	sequence end	coding Sacch	naromyces co	erevisiae PMT7	
<400>	5						

gtattgcagt	tgtagtccca	gaatgaattg	ctcttttaat	tgttctttt	ggctggagaa	60
gtgctcgtat	gtcttgatcg	atgagataca	gctgagattt	aagttgttct	aggttgatag	120
ttgaatgttc	agagttgagg	ggttccatgg	tcaagtatag	gaggatccag	ctcatctagg	180
gagtggaatt	gagtactgac	actcattact	ggaagaagta	gaaagagtac	tggttttgtg	240
gtaagttcca	tatttcagat	gtctgtagat	ggtcgagcga	ggtgaacatt	tcataggaga	300
tttcagagga	gttggacttt	gaaaatggtg	acaaaaggta	gacagaagaa	aggttagaga	360
gtgcagtgat	tcaaggtggt	tgcagaagtc	С			391
<210> 6 <211> 391 <212> DNA <213> Art	ificial					
<220> <223> homologous to sequence encoding Saccharomyces cerevisiae PMT7 gene						
<400> 6 gtattgcagt	tgtagtccca	gaatgaattg	ctcttttaat	tgttcttttt	ggctggagaa	60
gtgctcgtat	gtcttgatcg	atgagataca	gctgagattt	aagttgttct	aggttgatag	120
ttgaatgttc	agagttgagg	ggttccatgg	tcaagtatag	gaggatccag	ctcatctagg	180
gagtggaatt	gagtactgac	actcattact	ggaagaagta	gaaagagtac	tggttttgtg	240
gtaagttcca	tatttcagat	gtctgtagat	ggtcgagcga	ggtgaacatt	tcataggaga	300
tttcagagga	gttggacttt	gaaaatggtg	acaaaaggta	gacagaagaa	aggttagaga	360
gtgcagtgat tcaaggtggt tgcagaagtc		c			391	
<210> 7 <211> 386 <212> DNA <213> Art	ificial					
<220> <223> homologous to sequence encoding Saccharomyces cerevisiae PMT5 gene						
<400> 7 agattgagac	atgctatgac	gggttgttac	ttgttctccc	gcgaagtcaa	gcttcccaag	60
tgggcatatg	agcaacaaga	ggttacttgt	gctactcaag	ggtatcaaac	cactatctta	120
ctggtacgtt	gagaccaacg	aaaacccatt	cttggataaa	gaggttgatg	aaatagttag	180
ctatcctgtt	ccgactttct	ttcaaaaggt	tgccgagcta	cacgccagaa	tgtggaagat	240
caacaagggc	ttaactgatc	atcatgtcta	tgaatccagt	ccagattctt	ggcccttcct	300
gtcagaggta	taagctactg	gtcaaaaaat	cactccaaat	tatttcatag	gtaatgctgc	360
acttggtgga	cagtcaccga	agtttg				386

<210> 8 <211> 406 <212> DNA <213> Artificial

```
<220>
<223>
       homologous to sequence encoding Saccharomyces cerevisiae PMT5 gene
<220>
      misc_feature
<221>
<222>
       (122)..(122)
<223>
      n is a, c, g, or t
<400>
gtgttgcagt tgtagtccca cttgagtatc ttggattcgt tgcattggtc cttggtccat
                                                                        60
cgtcctgcat agatcaatgg gagaatatct ttggaagaag aaagcgcaac ggcaaaaaaag
                                                                       120
anaacgaata tggagtaaga cacaacctgt ttgtttttga agacataaga gtgaataatc
                                                                       180
tcaaacacat gtccgagagc caatatacca aagtacaatg atggtagata gtgggtgcaa
                                                                       240
aaatagctga cgggccataa ggaaagatgg caagtaatgc agtacccatc ctaggatgta
                                                                       300
atgaagcatt tgaacattga agttgaacac agttgggtca acgctgaacc caaaacctct
                                                                       360
                                                                       406
ttgccatctc agaatagaga aaaccaaaaa gacagagaac aaagca
<210>
       9
       21
<211>
<212>
      DNA
      Artificial
<213>
<220>
      modified albumin coding sequence
<223>
<400>
                                                                        21
ttaggcttat aataagctta a
<210>
       10
       39
<211>
<212>
      DNA
      Artificial
<213>
<220>
<223>
      oligonucleotide used for PCR mutagenesis
<400>
gcataagctt tggacttctt cgccagaggt ttggtcaag
                                                                        39
<210>
       11
<211>
       48
<212>
      DNA
      Artificial
<213>
<220>
<223>
      oligonucleotide used for PCR mutagenesis
<400>
gcatggatcc gcggccgcga tccgtgtgga agaacgatta caacaggt
                                                                        48
<210>
       12
30
<211>
<212>
       DNA
<213>
      Artificial
<220>
<223>
      oligonucleotide used for PCR mutagenesis
<400>
       12
```

agtccaagct taattcttat gatttatgat 30				
<210> <211> <212> <213>	13 17 DNA Artificial			
<220> <223>	oligonucleotide used for PCR mutagenesis			
<400> gtttc	13 ccag tcacgac	17		
<210> <211> <212> <213>	14 29 DNA Artificial			
<220> <223>	linker sequence			
<400> 14 ttaagagtcc aagccttagg cttataata 2				
<210> <211> <212> <213>	15 29 DNA Artificial			
<220> <223>	linker sequence			
<400> 15 agcttattat aagcctaagg cttggactc 2				
<210> <211> <212> <213>	16 4 PRT Artificial			
<220> <223>	portion of peptide encoded by linker sequence			
<400>	16			
Ala Le 1	u Gly Leu			